antibodies .- online.com





anti-FLRT3 antibody (AA 209-264) (HRP)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	FLRT3
Binding Specificity:	AA 209-264
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FLRT3 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Leucine-rich repeat transmembrane protein FLRT3 protein (209-264AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	FLRT3
Alternative Name:	FLRT3 (FLRT3 Products)
Background:	Background: Functions in cell-cell adhesion, cell migration and axon guidance, exerting an
	attractive or repulsive role depending on its interaction partners. Plays a role in the spatial

organization of brain neurons. Plays a role in vascular development in the retina (By similarity). Plays a role in cell-cell adhesion via its interaction with ADGRL3 and probably also other latrophillins that are expressed at the surface of adjacent cells (PubMed:26235030). Interaction with the intracellular domain of ROBO1 mediates axon attraction towards cells expressing NTN1. Mediates axon growth cone collapse and plays a repulsive role in neuron guidance via its interaction with UNC5B, and possibly also other UNC-5 family members (By similarity). Promotes neurite outgrowth (in vitro) (PubMed:14706654). Mediates cell-cell contacts that promote an increase both in neurite number and in neurite length. Plays a role in the regulation of the density of glutamaergic synapses. Plays a role in fibroblast growth factor-mediated signaling cascades. Required for normal morphogenesis during embryonic development, but not for normal embryonic patterning. Required for normal ventral closure, headfold fusion and definitive endoderm migration during embryonic development. Required for the formation of a normal basement membrane and the maintenance of a normal anterior visceral endoderm during embryonic development (By similarity).

Aliases: fibronectin leucine rich transmembrane protein 3 antibody, Fibronectin-like domaincontaining leucine-rich transmembrane protein 3 antibody, FLRT 3 antibody, FLRT3 antibody, FLRT3_HUMAN antibody, KIAA1469 antibody, Leucine-rich repeat transmembrane protein FLRT3 antibody

UniProt:

Q9NZU0

For Research Use only

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.

Handling

Restrictions:

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.