

Datasheet for ABIN7158580

anti-LRP8 antibody (AA 131-332) (FITC)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μg		
Target:	LRP8		
Binding Specificity:	AA 131-332		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This LRP8 antibody is conjugated to FITC		
Application:	Please inquire		
Product Details			
Immunogen:	Recombinant Human Low-density lipoprotein receptor-related protein 8 protein (131-332AA)		
Isotype:	IgG		
Cross-Reactivity:	Human		
Purification:	>95%, Protein G purified		
Purification: Target Details	>95%, Protein G purified		
	>95%, Protein G purified LRP8		
Target Details			
Target Details Target:	LRP8		

processes, by binding to DAB1 on its cytoplasmic tail. Reelin acts via both the VLDL receptor (VLDLR) and LRP8 to regulate DAB1 tyrosine phosphorylation and microtubule function in neurons. LRP8 has higher affinity for Reelin than VLDLR. LRP8 is thus a key component of the Reelin pathway which governs neuronal layering of the forebrain during embryonic brain development. Binds the endoplasmic reticulum resident receptor-associated protein (RAP). Binds dimers of beta 2-glycoprotein I and may be involved in the suppression of platelet aggregation in the vasculature. Highly expressed in the initial segment of the epididymis, where it affects the functional expression of clusterin and phospholipid hydroperoxide glutathione peroxidase (PHGPx), two proteins required for sperm maturation. May also function as an endocytic receptor.

Aliases: APOER2 antibody, Apolipoprotein E receptor 2 antibody, low density lipoprotein receptor-related protein 8 antibody, Low-density lipoprotein receptor-related protein 8 antibody, LRP8 antibody, LRP8 antibody, LRP8_HUMAN antibody

UniProt:

Q14114

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	