
# antibodies - online.com







# anti-Ly6k antibody (AA 18-138)



Image



#### Overview

Quantity:	100 μg
Target:	Ly6k
Binding Specificity:	AA 18-138
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ly6k antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Immunogen:	Recombinant Human Lymphocyte antigen 6K protein (18-138AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	Ly6k
Alternative Name:	LY6K (Ly6k Products)
Background:	Background: May play a role in cell growth.
	Aliases: LY6K antibody, CO16 antibody, Lymphocyte antigen 6K antibody, Ly-6K antibody

### **Target Details**

UniProt: Q17RY6


## **Application Details**

Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

# Images



#### **Immunohistochemistry**

Image 1. IHC image of ABIN7158634 diluted at 1:400 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.