antibodies .- online.com







anti-MLYCD antibody (AA 40-493) (HRP)



Go to Product page

()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μg
Target:	MLYCD
Binding Specificity:	AA 40-493
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MLYCD antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Malonyl-CoA decarboxylase, mitochondrial protein (40-493AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	MLYCD	
Alternative Name:	MLYCD (MLYCD Products)	
Background:	Background: Catalyzes the conversion of malonyl-CoA to acetyl-CoA. In the fatty acid	
	biosynthesis MCD selectively removes malonyl-CoA and thus assures that methyl-malonyl-CoA	

is the only chain elongating substrate for fatty acid synthase and that fatty acids with multiple methyl side chains are produced. In peroxisomes it may be involved in degrading intraperoxisomal malonyl-CoA, which is generated by the peroxisomal beta-oxidation of odd chain-length dicarboxylic fatty acids. Plays a role in the metabolic balance between glucose and lipid oxidation in muscle independent of alterations in insulin signaling. May play a role in controlling the extent of ischemic injury by promoting glucose oxidation.

Aliases: DCMC_HUMAN antibody, hMCD antibody, Malonyl CoA decarboxylase antibody, Malonyl CoA decarboxylase mitochondrial antibody, Malonyl coenzyme A decarboxylase antibody, Malonyl-CoA decarboxylase antibody, MCD antibody, MGC59795 antibody,

UniProt:

095822

Pathways:

Regulation of Carbohydrate Metabolic Process

mitochondrial antibody, Mlycd antibody

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	