antibodies.com

# Datasheet for ABIN7160218 anti-MORF4L1 antibody (AA 1-100)

2 Images



#### Overview

Quantity:	100 μL
Target:	MORF4L1
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MORF4L1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

### Product Details

Immunogen:	Recombinant Human Mortality factor 4-like protein 1 protein (1-100AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

### Target Details

Target:	MORF4L1
Alternative Name:	MORF4L1 (MORF4L1 Products)
Background:	Background: Component of the NuA4 histone acetyltransferase (HAT) complex which is
	involved in transcriptional activation of select genes principally by acetylation of nucleosomal

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7160218 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and
promote interaction of the modified histones with other proteins which positively regulate
transcription. This complex may be required for the activation of transcriptional programs
associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor
mediated growth arrest and replicative senescence, apoptosis, and DNA repair. The NuA4
complex ATPase and helicase activities seem to be, at least in part, contributed by the
association of RUVBL1 and RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair
when directly recruited to sites of DNA damage. Also component of the mSin3A complex which
acts to repress transcription by deacetylation of nucleosomal histones. Required for
homologous recombination repair (HRR) and resistance to mitomycin C (MMC). Involved in the
localization of PALB2, BRCA2 and RAD51, but not BRCA1, to DNA-damage foci.
Aliases: CG6363 antibody, Eaf3 antibody, Esa1p associated factor 3 homolog antibody,
FWP006 antibody, HsT17725 antibody, MEAF3 antibody, MO4L1_HUMAN antibody, MORF
related gene on chromosome 15 antibody, MORF-related gene 15 protein antibody, Morf4l1
antibody, MORFRG15 antibody, Mortality factor 4 like 1 antibody, Mortality factor 4 like protein 1
antibody, Mortality factor 4-like protein 1 antibody, MRG15 antibody, Protein MSL3-1 antibody,
S863-6 antibody, Transcription factor-like protein MRG15 antibody

UniProt:	Q9UBU8
Pathways:	Chromatin Binding


### Application Details

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7160218 | 09/09/2023 | Copyright antibodies-online. All rights reserved.



#### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human kidney tissue using ABIN7160218 at dilution of 1:100

#### Immunohistochemistry

**Image 2.** Immunohistochemistry of paraffin-embedded human colon tissue using ABIN7160218 at dilution of 1:100

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7160218 | 09/09/2023 | Copyright antibodies-online. All rights reserved.