antibodies .- online.com





anti-MADCAM1 antibody (AA 19-317) (HRP)



()	1 /	0	rv	/ 1 /	71	Α.
	1//	-	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	100 μg
Target:	MADCAM1
Binding Specificity:	AA 19-317
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MADCAM1 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Mucosal addressin cell adhesion molecule 1 protein (19-317AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	MADCAM1	
Alternative Name:	MADCAM1 (MADCAM1 Products)	
Background: Background: Cell adhesion leukocyte receptor expressed by mucosal venules, h		
	lymphocyte traffic into mucosal tissues including the Peyer patches and the intestinal lamina	

Target Details

propria. It can bind both integrin alpha-4/beta-7 and L-selectin, regulating both the passage and retention of leukocytes. Isoform 2, lacking the mucin-like domain, may be specialized in supporting integrin alpha-4/beta-7-dependent adhesion strengthening, independent of L-selectin binding.

Aliases: Addressin mucosal antibody, hMAdCAM 1 antibody, hMAdCAM-1 antibody, MACAM1 antibody, MADCA_HUMAN antibody, MAdCAM 1 antibody, MAdCAM-1 antibody, Madcam1 antibody, Mucosal addressin cell adhesion molecule 1 antibody, Mucosal vascular addressin cell adhesion molecule 1 antibody

UniProt:

Q13477

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	-20 °C,-80 °C		
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.		