

Datasheet for ABIN7160333

anti-FAT Atypical Cadherin 2 (FAT2) (AA 123-314) antibody (FITC)[Go to Product page](#)

Overview

| | |
|----------------------|--------------------------------|
| Quantity: | 100 µg |
| Target: | FAT Atypical Cadherin 2 (FAT2) |
| Binding Specificity: | AA 123-314 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | FITC |
| Application: | Please inquire |

Product Details

| | |
|-------------------|--|
| Immunogen: | Recombinant Human Multiple epidermal growth factor-like domains protein 10 protein (123-314AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|---|
| Target: | FAT Atypical Cadherin 2 (FAT2) |
| Alternative Name: | MEGF1 (FAT2 Products) |
| Background: | Background: Membrane receptor involved in phagocytosis by macrophages of apoptotic cells. |

Target Details

Cooperates with ABCA1 within the process of engulfment. Promotes the formation of large intracellular vacuoles and may be responsible for the uptake of amyloid-beta peptides. May also function in the mosaic spacing of specific neuron subtypes in the retina through homotypic retinal neuron repulsion. Mosaics provide a mechanism to distribute each cell type evenly across the retina, ensuring that all parts of the visual field have access to a full set of processing elements. May play role in cell adhesion and motility. Is also an essential factor in the regulation of myogenesis. Controls the balance between skeletal muscle satellite cells proliferation and differentiation probably through regulation of the notch signaling pathway. Aliases: MEGF10 antibody, KIAA1780Multiple epidermal growth factor-like domains protein 10 antibody, Multiple EGF-like domains protein 10 antibody

UniProt: [Q96KG7](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.