

Datasheet for ABIN7160358 anti-MBNL1 antibody (AA 1-382) (Biotin)



Go to Product page

| _ | | | |
|-----|-----|----|----|
| () | V/C | rv | ٨/ |
| | | | |

| Quantity: | 100 μg |
|----------------------|---|
| Target: | MBNL1 |
| Binding Specificity: | AA 1-382 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MBNL1 antibody is conjugated to Biotin |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human Muscleblind-like protein 1 protein (1-382AA) |
|-------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | MBNL1 |
|-------------------|--|
| Alternative Name: | MBNL1 (MBNL1 Products) |
| Background: | Background: Mediates pre-mRNA alternative splicing regulation. Acts either as activator or |
| | repressor of splicing on specific pre-mRNA targets. Inhibits cardiac troponin-T (TNNT2) pre- |

mRNA exon inclusion but induces insulin receptor (IR) pre-mRNA exon inclusion in muscle. Antagonizes the alternative splicing activity pattern of CELF proteins. Regulates the TNNT2 exon 5 skipping through competition with U2AF2. Inhibits the formation of the spliceosome A complex on intron 4 of TNNT2 pre-mRNA. Binds to the stem-loop structure within the polypyrimidine tract of TNNT2 intron 4 during spliceosome assembly. Binds to the 5\'-YGCU(U/G)Y-3\'consensus sequence. Binds to the IR RNA. Binds to expanded CUG repeat RNA, which folds into a hairpin structure containing GC base pairs and bulged, unpaired U residues. Aliases: EXP antibody, EXP35 antibody, EXP40 antibody, EXP42 antibody, KIAA0428 antibody, MBNL antibody, MBNL protein antibody, MBNL1 antibody, MBNL1_HUMAN antibody, Muscleblind 41kD isoform antibody, Muscleblind like antibody, Muscleblind like protein 1 antibody, Muscleblind like splicing regulator 1 antibody, Muscleblind-like protein 1 antibody, Triplet expansion RNA binding protein antibody, Triplet-expansion RNA-binding protein antibody

UniProt:

Q9NR56

Pathways:

Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:

Optimal working dilution should be determined by the investigator.

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |