antibodies .- online.com





anti-NAGK antibody (AA 2-344) (Biotin)



Overview

Quantity:	100 μg
Target:	NAGK
Binding Specificity:	AA 2-344
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAGK antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human N-acetyl-D-glucosamine kinase protein (2-344AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	NAGK
Alternative Name:	NAGK (NAGK Products)
Background:	Background: Converts endogenous N-acetylglucosamine (GlcNAc), a major component of
	complex carbohydrates, from lysosomal degradation or nutritional sources into GlcNAc 6-

Target Details

phosphate. Involved in the N-glycolylneuraminic acid (Neu5Gc) degradation pathway: although human is not able to catalyze formation of Neu5Gc due to the inactive CMAHP enzyme, Neu5Gc is present in food and must be degraded. Also has ManNAc kinase activity.

Aliases: EC 2.7.1.59 antibody, GlcNAc kinase antibody, GNK antibody, HSA242910 antibody, Nacetylglucosamine kinase antibody, N-acetyl-D-glucosamine kinase antibody, N-acetylglucosamine kinase antibody, Nacetylglucosamine kinase antibody, NagK_HUMAN antibody

UniProt:

Q9UJ70

Application Details

Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300

	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C