

Datasheet for ABIN7160752 anti-GPR18 antibody (AA 290-331) (HRP)



Overview

| Quantity: | 100 μg |
|----------------------|--|
| Target: | GPR18 |
| Binding Specificity: | AA 290-331 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GPR18 antibody is conjugated to HRP |
| Application: | ELISA |
| | |

Product Details

| Immunogen: | Recombinant Human N-arachidonyl glycine receptor protein (290-331AA) |
|-------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | GPR18 |
|-------------------|---|
| Alternative Name: | GPR18 (GPR18 Products) |
| Background: | Background: Receptor for endocannabinoid N-arachidonyl glycine (NAGly) (PubMed:16844083, PubMed:24762058, PubMed:27572937). However, conflicting results about the role of NAGly as |

an agonist are reported (PubMed:27018161). Can also be activated by plant-derived and synthetic cannabinoid agonists (PubMed:24762058). The activity of this receptor is mediated by G proteins which inhibit adenylyl cyclase (PubMed:16844083). May contribute to regulation of the immune system. Is required for normal homeostasis of CD8+ subsets of intraepithelial lymphocytes (IELs) (CD8alphaalpha and CD8alphabeta IELs)in small intstine by supporting preferential migration of CD8alphaalpha T-cells to intraepithelial compartment over lamina propria compartment, and by mediating their reconstitution into small intestine after bone marrow transplant (By similarity). Plays a role in hypotensive responses, mediating reduction in intraocular and blood pressure (By similarity). Mediates NAGly-induced process of reorganization of actin filaments and induction of acrosomal exocytosis (PubMed:27572937). Aliases: GPR18 antibody, GPCRWN-arachidonyl glycine receptor antibody, NAGly receptor antibody, G-protein coupled receptor 18 antibody

UniProt:

Q14330

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|---|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |