



[Go to Product page](#)

Datasheet for ABIN7161109
anti-PVRL2 antibody (AA 32-360)

1 Image

Overview

Quantity:	100 µg
Target:	PVRL2
Binding Specificity:	AA 32-360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PVRL2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Nectin-2 protein (32-360AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	PVRL2
Alternative Name:	NECTIN2 (PVRL2 Products)
Background:	Background: Probable cell adhesion protein. Aliases: CD 112 antibody, CD112 antibody, CD112 antigen antibody, Herpes virus entry

Target Details

mediator B antibody, Herpes virus entry protein B antibody, Herpesvirus entry mediator B antibody, Herpesvirus entry protein B antibody, Hve B antibody, HveB antibody, Nectin-2 antibody, Nectin2 antibody, Poliovirus receptor like 2 antibody, Poliovirus receptor related 2 (herpesvirus entry mediator B) antibody, Poliovirus receptor related 2 antibody, Poliovirus receptor related protein 2 antibody, Poliovirus receptor-related protein 2 antibody, PRR 2 antibody, PRR2 antibody, PVRL 2 antibody, PVRL2 antibody, PVRL2_HUMAN antibody, PVRR 2 antibody, PVRR2 antibody

UniProt: [Q92692](#)

Pathways: [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#), [Cell-Cell Junction Organization](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot Positive WB detected in: HepG2 whole cell lysate, A549 whole cell lysate, HeLa whole cell lysate All lanes: NECTIN2 antibody at 3 $\mu\text{g}/\text{mL}$ Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 58, 52 kDa Observed band size: 58 kDa