

Datasheet for ABIN7161838 anti-NUP62 antibody (AA 173-522) (FITC)

Human

>95%, Protein G purified



Go to Product page

| _ | | | | | |
|---|---|---|----|----|---|
| | W | 0 | rv | 10 | W |

| - Overview | | |
|----------------------|---|--|
| Quantity: | 100 μg | |
| Target: | NUP62 | |
| Binding Specificity: | AA 173-522 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This NUP62 antibody is conjugated to FITC | |
| Application: | Please inquire | |
| Product Details | | |
| Immunogen: | Recombinant Human Nuclear pore glycoprotein p62 protein (173-522AA) | |
| Isotype: | IgG | |

Target Details

Cross-Reactivity:

Purification:

| Target: | NUP62 | |
|-------------------|---|--|
| Alternative Name: | NUP62 (NUP62 Products) | |
| Background: | Background: Essential component of the nuclear pore complex (PubMed:1915414). The N- | |
| | terminal is probably involved in nucleocytoplasmic transport (PubMed:1915414). The C- | |

terminal is involved in protein-protein interaction probably via coiled-coil formation, promotes its association with centrosomes and may function in anchorage of p62 to the pore complex (PubMed:1915414, PubMed:24107630). Plays a role in mitotic cell cycle progression by regulating centrosome segregation, centriole maturation and spindle orientation (PubMed:24107630). It might be involved in protein recruitment to the centrosome after nuclear breakdown (PubMed:24107630).

Aliases: NUP62 antibody, Nuclear pore glycoprotein p62 antibody, 62 kDa nucleoporin antibody, Nucleoporin Nup62 antibody

UniProt: P37198

Pathways: EGFR Signaling Pathway, SARS-CoV-2 Protein Interactome

Application Details

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |