

Datasheet for ABIN7161872
anti-NCOR1 antibody (AA 1770-1947) (HRP)



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	NCOR1
Binding Specificity:	AA 1770-1947
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOR1 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Nuclear receptor corepressor 1 protein (1770-1947AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	NCOR1
Alternative Name:	NCOR1 (NCOR1 Products)
Background:	Background: Mediates transcriptional repression by certain nuclear receptors. Part of a complex which promotes histone deacetylation and the formation of repressive chromatin

Target Details

structures which may impede the access of basal transcription factors. Participates in the transcriptional repressor activity produced by BCL6.

Aliases: hN CoR antibody, hNCoR antibody, KIAA1047 antibody, N CoR antibody, N Cor/SMRT corepressor Rip13 antibody, N CoR1 antibody, N-CoR antibody, N-CoR1 antibody, NCOR 1 antibody, NCoR antibody, Ncor1 antibody, NCOR1_HUMAN antibody, Nuclear receptor co repressor 1 antibody, Nuclear receptor corepressor 1 antibody, Retinoid X receptor interacting protein 13 antibody, RIP13 antibody, Rxrip13 antibody, thyroid hormone and retinoic acid receptor associated corepressor 1 antibody, TRAC 1 antibody, TRAC1 antibody

UniProt: [O75376](#)

Pathways: [Nuclear Hormone Receptor Binding](#), [Chromatin Binding](#), [Regulation of Lipid Metabolism by PPARalpha](#), [Regulation of Carbohydrate Metabolic Process](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.