# antibodies .- online.com





## anti-PPP1R9A antibody (AA 1-243) (Biotin)



$\sim$	
( )\/白	rview
OVC	

Quantity:	100 μg
Target:	PPP1R9A
Binding Specificity:	AA 1-243
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPP1R9A antibody is conjugated to Biotin
Application:	ELISA

## **Product Details**

Immunogen:	Recombinant Human Nuclear receptor subfamily 0 group B member 1 protein (1-243AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	PPP1R9A
Alternative Name:	NRB1 (PPP1R9A Products)
Background:	Background: Orphan nuclear receptor. Component of a cascade required for the development
	of the hypothalamic-pituitary-adrenal-gonadal axis. Acts as a coregulatory protein that inhibits

#### **Target Details**

the transcriptional activity of other nuclear receptors through heterodimeric interactions. May also have a role in the development of the embryo and in the maintenance of embryonic stem cell pluripotency (By similarity).

Aliases: AHC antibody, AHCH antibody, AHX antibody, DAX 1 antibody, DAX1 antibody, Dosage sensitive sex reversal antibody, DSS antibody, DSS AHC critical region on the X chromosome protein 1 antibody, DSS-AHC critical region on the X chromosome protein 1 antibody, GTD antibody, HHG antibody, Nr0b1 antibody, NR0B1\_HUMAN antibody, NROB1 antibody, Nuclear hormone receptor antibody, Nuclear receptor 0B1 antibody, Nuclear receptor DAX 1 antibody, Nuclear receptor DAX1 antibody, Nuclear receptor subfamily 0 group B member 1 antibody, SRXY2 antibody

UniProt:

P51843

### **Application Details**

Storage Comment:

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin

Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.