



Datasheet for ABIN7161918
anti-NRBP2 antibody (AA 12-258)



[Go to Product page](#)

4 Images

Overview

Quantity:	100 µg
Target:	NRBP2
Binding Specificity:	AA 12-258
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NRBP2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP)

Product Details

Immunogen:	Recombinant Human Nuclear receptor-binding protein 2 protein (12-258AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	NRBP2
Alternative Name:	NRBP2 (NRBP2 Products)
Background:	Background: May regulate apoptosis of neural progenitor cells during their differentiation. Aliases: BC011468 antibody, DKFZp434P086 antibody, MGC12117 antibody, MGC138699

Target Details

antibody, MGC18994 antibody, NRBP2 antibody, NRBP2_HUMAN antibody, Nuclear receptor binding protein 2 antibody, Nuclear receptor-binding protein 2 antibody, PP9320 antibody, Transformation related gene 16 protein antibody, Transformation-related gene 16 protein antibody, transformation-related protein 16 antibody, TRG 16 antibody, TRG-16 antibody, TRG16 antibody

UniProt: [Q9NSY0](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200, IP:1:200-1:2000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Western Blotting

Image 1. Immunoprecipitating NRBP2 in A549 whole cell lysate Lane 1: Rabbit control IgG (1 µg) instead of ABIN7161918 in A549 whole cell lysate. For western blotting, a HRP-conjugated Protein G antibody was used as the secondary antibody (1/2000) Lane 2: ABIN7161918 (6 µg) + A549 whole cell lysate (500 µg) Lane 3: A549 whole cell lysate (10 µg)



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human endometrial cancer using ABIN7161918 at dilution of 1:100



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human adrenal gland tissue using ABIN7161918 at dilution of 1:100

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7161918.