



[Go to Product page](#)

Datasheet for ABIN7161966

anti-Nucleolar Protein 1 (NOL1) (AA 1-210) antibody

3 Images

Overview

Quantity:	100 µg
Target:	Nucleolar Protein 1 (NOL1)
Binding Specificity:	AA 1-210
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Nucleolar protein 10 protein (1-210AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	Nucleolar Protein 1 (NOL1)
Alternative Name:	NOL1 (NOL1 Products)
Background:	Background: nucleolus, poly(A) RNA binding Aliases: FLJ13938 antibody, FLJ14075 antibody, H_NH0074G24.1 antibody, NOL 10 antibody,

Target Details

Nol10 antibody, NOL10_HUMAN antibody, Nucleolar protein 10 antibody, Polyglutamine binding protein 5 antibody, PQBP5 antibody

UniProt: [Q9BSC4](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human small intestine tissue using ABIN7161966 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: NOL10 antibody at 8 $\mu\text{g}/\text{mL}$ + K562 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 81, 75, 22, 78 kDa Observed band size: 81 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human pancreatic tissue using ABIN7161966 at dilution of 1:100