antibodies - online.com







anti-NME5 antibody (AA 1-212)



Image



Overview

Quantity:	100 μg
Target:	NME5
Binding Specificity:	AA 1-212
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NME5 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human Nucleoside diphosphate kinase homolog 5 protein (1-212AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	NME5
Alternative Name:	NME5 (NME5 Products)
Background:	Background: Does not seem to have NDK kinase activity. Confers protection from cell death by
	Bax and alters the cellular levels of several antioxidant enzymes including Gpx5. May play a role

in spermiogenesis by increasing the ability of late-stage spermatids to eliminate reactive oxygen species.

Aliases: Inhibitor of p53 induced apoptosis beta antibody, Inhibitor of p53-induced apoptosis-beta antibody, IPIA beta antibody, IPIA-beta antibody, NDK-H 5 antibody, NDK5_HUMAN antibody, NDP kinase homolog 5 antibody, NM23 H5 antibody, nm23-H5 antibody, Nm23-M5 antibody, NM23H5 antibody, NME/NM23 family member 5 antibody, NME5 antibody, Non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase) antibody, Nonmetastatic cells 5, protein expressed in antibody, Nonmetastatic protein 23, homolog 5 antibody, Nucleoside diphosphate kinase homolog 5 antibody, Radial spoke 23 homolog antibody, RSPH23 antibody, Testis specific nm23 homolog antibody

UniProt:

P56597

Pathways:

Nucleotide Phosphorylation, Ribonucleoside Biosynthetic Process, Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:


Recommended dilution: IF:1:50-1:200,

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of Hela cells using ABIN7162052 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)