# antibodies .- online.com





## anti-NOXA antibody (AA 1-136) (HRP)



Go to Product page

#### Overview

Quantity:	100 μg
Target:	NOXA (PMAIP1)
Binding Specificity:	AA 1-136
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NOXA antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Phorbol-12-myristate-13-acetate-induced protein 1 protein (1-136AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	NOXA (PMAIP1)
Alternative Name:	PMAIP1 (PMAIP1 Products)
Background:	Background: Promotes activation of caspases and apoptosis. Promotes mitochondrial
	membrane changes and efflux of apoptogenic proteins from the mitochondria. Contributes to

p53/TP53-dependent apoptosis after radiation exposure. Promotes proteasomal degradation of MCL1. Competes with BAK1 for binding to MCL1 and can displace BAK1 from its binding site on MCL1 (By similarity). Competes with BIM/BCL2L11 for binding to MCL1 and can displace BIM/BCL2L11 from its binding site on MCL1.

Aliases: Adult T cell leukemia derived PMA responsive antibody, APR antibody, APR\_HUMAN antibody, ATL-derived antibody, Immediate early response protein APR antibody, Immediate-early-response protein APR antibody, NOXA antibody, Phorbol 12 myristate 13 acetate induced protein 1 antibody, Phorbol-12-myristate-13-acetate-induced protein 1 antibody, PMA induced protein 1 antibody, PMA-induced protein 1 antibody, PMA-responsive gene antibody, Pmaip1 antibody, Protein Noxa antibody

UniProt: Q13794

Pathways: p53 Signaling, Positive Regulation of Endopeptidase Activity, Regulation of Carbohydrate

Metabolic Process, Positive Regulation of Response to DNA Damage Stimulus

#### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.