

[Go to Product page](#)

Datasheet for ABIN7163126

**anti-ABCB4 antibody (AA 530-693) (HRP)**

## Overview

Quantity:	100 µg
Target:	ABCB4
Binding Specificity:	AA 530-693
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABCB4 antibody is conjugated to HRP
Application:	ELISA

## Product Details

Immunogen:	Recombinant Human Phosphatidylcholine translocator ABCB4 protein (530-693AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	ABCB4
Alternative Name:	ABCB4 ( <a href="#">ABCB4 Products</a> )
Background:	Background: Energy-dependent phospholipid efflux translocator that acts as a positive regulator of biliary lipid secretion. Functions as a floppase that translocates specifically

## Target Details

phosphatidylcholine (PC) from the inner to the outer leaflet of the canalicular membrane bilayer into the canaliculi of hepatocytes. Translocation of PC makes the biliary phospholipids available for extraction into the canaliculi lumen by bile salt mixed micelles and therefore protects the biliary tree from the detergent activity of bile salts (PubMed:7957936, PubMed:8898203, PubMed:9366571, PubMed:17523162, PubMed:23468132, PubMed:24806754, PubMed:24723470, PubMed:24594635, PubMed:21820390). Plays a role in the recruitment of phosphatidylcholine (PC), phosphatidylethanolamine (PE) and sphingomyelin (SM) molecules to nonraft membranes and to further enrichment of SM and cholesterol in raft membranes in hepatocytes (PubMed:23468132). Required for proper phospholipid bile formation (By similarity). Indirectly involved in cholesterol efflux activity from hepatocytes into the canalicular lumen in the presence of bile salts in an ATP-dependent manner (PubMed:24045840). May promote biliary phospholipid secretion as canaliculi-containing vesicles from the canalicular plasma membrane (PubMed:9366571). In cooperation with ATP8B1, functions to protect hepatocytes from the deleterious detergent activity of bile salts (PubMed:21820390). Does not confer multidrug resistance (By similarity).

Aliases: ABC 21 antibody, ABC B4 antibody, ABC21 antibody, ABCB 4 antibody, Abcb4 antibody, ABCB4 protein antibody, ATP binding cassette sub family B MDR/TAP member 4 antibody, ATP binding cassette sub family B member 4 antibody, ATP-binding cassette sub-family B member 4 antibody, GBD1 antibody, ICP3 antibody, MDR 3 antibody, MDR2 antibody, MDR2/3 antibody, MDR3 antibody, MDR3 P glycoprotein antibody, MDR3 P gp antibody, MDR3\_HUMAN antibody, Multidrug resistance protein 3 antibody, Multiple drug resistance 3 antibody, P glycoprotein 3 antibody, P-glycoprotein 3 antibody, PFIC 3 antibody, PFIC3 antibody, PGY 3 antibody, PGY3 antibody

UniProt: [P21439](#)

Pathways: [Regulation of Lipid Metabolism by PPARalpha](#)

## Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300

## Handling

---

Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Storage: -20 °C, -80 °C

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.