

Datasheet for ABIN7163577

anti-CD31 antibody (AA 525-586) (Biotin)[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	CD31 (PECAM1)
Binding Specificity:	AA 525-586
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD31 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Platelet endothelial cell adhesion molecule protein (525-586AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CD31 (PECAM1)
Alternative Name:	PECAM1 (PECAM1 Products)
Background:	Background: Induces susceptibility to atherosclerosis (By similarity). Cell adhesion molecule which is required for leukocyte transendothelial migration (TEM) under most inflammatory

Target Details

conditions. Tyr-690 plays a critical role in TEM and is required for efficient trafficking of PECAM1 to and from the lateral border recycling compartment (LBRC) and is also essential for the LBRC membrane to be targeted around migrating leukocytes. Prevents phagocyte ingestion of closely apposed viable cells by transmitting 'detachment' signals, and changes function on apoptosis, promoting tethering of dying cells to phagocytes (the encounter of a viable cell with a phagocyte via the homophilic interaction of PECAM1 on both cell surfaces leads to the viable cell's active repulsion from the phagocyte. During apoptosis, the inside-out signaling of PECAM1 is somehow disabled so that the apoptotic cell does not actively reject the phagocyte anymore. The lack of this repulsion signal together with the interaction of the eat-me signals and their respective receptors causes the attachment of the apoptotic cell to the phagocyte, thus triggering the process of engulfment). Isoform Delta15 is unable to protect against apoptosis. Modulates BDKRB2 activation. Regulates bradykinin- and hyperosmotic shock-induced ERK1/2 activation in human umbilical cord vein cells (HUVEC).

Aliases: Adhesion molecule antibody, CD31 antibody, CD31 antigen antibody, CD31 EndoCAM antibody, EndoCAM antibody, FLJ34100 antibody, FLJ58394 antibody, GPIIA antibody, GPIIA' antibody, PECA1 antibody, PECA1_HUMAN antibody, Pecam 1 antibody, PECAM 1 CD31 EndoCAM antibody, PECAM antibody, PECAM-1 antibody, Pecam1 antibody, Platelet and endothelial cell adhesion molecule 1 antibody, Platelet endothelial cell adhesion molecule antibody, Platelet/endothelial cell adhesion molecule 1 antibody

UniProt: [P16284](#)

Pathways: [Regulation of Actin Filament Polymerization](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling

Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.