

Datasheet for ABIN7163578 anti-CD31 antibody (AA 525-586) (FITC)



C	۱۱ /	\cap	~\ /	ic	11/	1
	V	CI	V	IF	٧,	۷

Overview			
Quantity:	100 μg		
Target:	CD31 (PECAM1)		
Binding Specificity:	AA 525-586		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This CD31 antibody is conjugated to FITC		
Application:	Please inquire		
Product Details			
Immunogen:	Recombinant Human Platelet endothelial cell adhesion molecule protein (525-586AA)		
Isotype:	IgG		
Cross-Reactivity:	Human		
Purification:	>95%, Protein G purified		
Target Details			
Target:	CD31 (PECAM1)		
Alternative Name:	PECAM1 (PECAM1 Products)		
Background:	round: Background: Induces susceptibility to atherosclerosis (By similarity). Cell adhesion mol which is required for leukocyte transendothelial migration (TEM) under most inflamma		

conditions. Tyr-690 plays a critical role in TEM and is required for efficient trafficking of PECAM1 to and from the lateral border recycling compartment (LBRC) and is also essential for the LBRC membrane to be targeted around migrating leukocytes. Prevents phagocyte ingestion of closely apposed viable cells by transmitting \'detachment\' signals, and changes function on apoptosis, promoting tethering of dying cells to phagocytes (the encounter of a viable cell with a phagocyte via the homophilic interaction of PECAM1 on both cell surfaces leads to the viable cell\'s active repulsion from the phagocyte. During apoptosis, the inside-out signaling of PECAM1 is somehow disabled so that the apoptotic cell does not actively reject the phagocyte anymore. The lack of this repulsion signal together with the interaction of the eat-me signals and their respective receptors causes the attachment of the apoptotic cell to the phagocyte, thus triggering the process of engulfment). Isoform Delta15 is unable to protect against apoptosis. Modulates BDKRB2 activation. Regulates bradykinin- and hyperosmotic shockinduced ERK1/2 activation in human umbilical cord vein cells (HUVEC). Aliases: Adhesion molecule antibody, CD31 antibody, CD31 antigen antibody, CD31 EndoCAM antibody, EndoCAM antibody, FLJ34100 antibody, FLJ58394 antibody, GPIIA antibody, GPIIA antibody, PECA1 antibody, PECA1_HUMAN antibody, Pecam 1 antibody, PECAM 1 CD31 EndoCAM antibody, PECAM antibody, PECAM-1 antibody, Pecam1 antibody, Platelet and endothelial cell adhesion molecule 1 antibody, Platelet endothelial cell adhesion molecule

UniProt:

P16284

Pathways:

Regulation of Actin Filament Polymerization

antibody, Platelet/endothelial cell adhesion molecule 1 antibody

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.