antibodies -online.com





anti-PKD1 antibody (AA 615-753) (Biotin)



Go to Product page

| \sim | | | | |
|--------|------|-----|-----|-----|
| | 11/6 | ٦r١ | /10 | ۱۸. |

| Quantity: | 100 μg |
|----------------------|--|
| Target: | PKD1 |
| Binding Specificity: | AA 615-753 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PKD1 antibody is conjugated to Biotin |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human Polycystin-1 protein (615-753AA) |
|-------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | PKD1 | |
|-------------------|---|--|
| Alternative Name: | PKD1 (PKD1 Products) | |
| Background: | Background: Involved in renal tubulogenesis (PubMed:12482949). Involved in fluid-flow | |
| | mechanosensation by the primary cilium in renal epithelium (By similarity). Acts as a regulator | |

of cilium length, together with PKD2 (By similarity). The dynamic control of cilium length is essential in the regulation of mechanotransductive signaling (By similarity). The cilium length response creates a negative feedback loop whereby fluid shear-mediated deflection of the primary cilium, which decreases intracellular cAMP, leads to cilium shortening and thus decreases flow-induced signaling (By similarity). May be an ion-channel regulator. Involved in adhesive protein-protein and protein-carbohydrate interactions.

Aliases: Autosomal dominant polycystic kidney disease 1 protein antibody, Autosomal dominant polycystic kidney disease protein 1 antibody, nPKC-D1 antibody, nPKC-mu antibody, OTTHUMP00000208669 antibody, OTTHUMP00000208670 antibody, PBP antibody, Pc-1 antibody, PKD antibody, Pkd1 antibody, PKD1_HUMAN antibody, Polycystic Kidney Disease 1 antibody, polycystic kidney disease-associated protein antibody, Polycystin 1 Precursor antibody, Polycystin-1 antibody, Protein kinase C mu type antibody, Protein kinase D antibody, Serine/threonine-protein kinase D1 antibody, transient receptor potential cation channel, subfamily P, member 1 antibody, TRPP1 antibody

| UniProt: | P98161 |
|----------|--------|
| | |

Pathways: Myometrial Relaxation and Contraction, Maintenance of Protein Location

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. | |
|--------------------|--|--|
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | -20 °C,-80 °C | |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. | |