



[Go to Product page](#)

Datasheet for ABIN7163872
anti-WBSCR17 antibody (AA 301-558)

1 Image

Overview

Quantity:	100 µg
Target:	WBSCR17
Binding Specificity:	AA 301-558
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WBSCR17 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

Product Details

Immunogen:	Recombinant Human Polypeptide N-acetylgalactosaminyltransferase 16 protein (301-558AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	>95%, Protein G purified

Target Details

Target:	WBSCR17
Alternative Name:	GALNT16 (WBSCR17 Products)
Background:	Background: Catalyzes the initial reaction in O-linked oligosaccharide biosynthesis, the transfer of an N-acetyl-D-galactosamine residue to a serine or threonine residue on the protein receptor.

Target Details

Aliases: GALNT16 antibody, GALNTL1 antibody, KIAA1130 Polypeptide N-acetylgalactosaminyltransferase 16 antibody, EC 2.4.1.41 antibody, Polypeptide GalNAc transferase 16 antibody, GalNAc-T16 antibody, Polypeptide GalNAc transferase-like protein 1 antibody, GalNAc-T-like protein 1 antibody, pp-GaNTase-like protein 1 antibody, Polypeptide N-acetylgalactosaminyltransferase-like protein 1 antibody, Protein-UDP acetylgalactosaminyltransferase-like protein 1 antibody, UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase-like protein 1 antibody

UniProt: [Q8N428](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot All lanes: GALNT16 antibody at 12 μ g/mL + Mouse kidney tissue Secondary Goat polyclonal to rabbit at 1/10000 dilution Predicted band size: 64, 61 kDa Observed band size: 64, 49 kDa