

[Go to Product page](#)

Datasheet for ABIN7163971

**anti-KCNC3 antibody (AA 638-745) (FITC)**

## Overview

Quantity:	100 µg
Target:	KCNC3
Binding Specificity:	AA 638-745
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNC3 antibody is conjugated to FITC
Application:	Please inquire

## Product Details

Immunogen:	Recombinant Human Potassium voltage-gated channel subfamily C member 3 protein (638-745AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	KCNC3
Alternative Name:	KCNC3 ( <a href="#">KCNC3 Products</a> )
Background:	Background: Voltage-gated potassium channel that plays an important role in the rapid

## Target Details

repolarization of fast-firing brain neurons. The channel opens in response to the voltage difference across the membrane, forming a potassium-selective channel through which potassium ions pass in accordance with their electrochemical gradient. The channel displays rapid activation and inactivation kinetics (PubMed:10712820, PubMed:26997484, PubMed:22289912, PubMed:23734863, PubMed:16501573, PubMed:19953606, PubMed:21479265, PubMed:25756792). It plays a role in the regulation of the frequency, shape and duration of action potentials in Purkinje cells. Required for normal survival of cerebellar neurons, probably via its role in regulating the duration and frequency of action potentials that in turn regulate the activity of voltage-gated  $\text{Ca}^{2+}$  channels and cellular  $\text{Ca}^{2+}$  homeostasis (By similarity). Required for normal motor function (PubMed:23734863, PubMed:16501573, PubMed:19953606, PubMed:21479265, PubMed:25756792). Plays a role in the reorganization of the cortical actin cytoskeleton and the formation of actin veil structures in neuronal growth cones via its interaction with HAX1 and the Arp2/3 complex (PubMed:26997484).

Aliases: Kcnc3 antibody, KCNC3\_HUMAN antibody, KSHIID antibody, KV3.3 antibody, Potassium voltage gated channel Shaw related subfamily member 3 antibody, Potassium voltage gated channel subfamily C member 3 antibody, Potassium voltage-gated channel subfamily C member 3 antibody, SCA13 antibody, Shaw related subfamily, member 3 antibody, Shaw related voltage gated potassium channel protein 3 antibody, Spinocerebellar ataxia 13 antibody, Voltage gated potassium channel protein KV3.3 antibody, Voltage gated potassium channel subunit Kv3.3 antibody, Voltage-gated potassium channel subunit Kv3.3 antibody

UniProt: [Q14003](#)

## Application Details

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

## Handling

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.