Datasheet for ABIN7163994 anti-KCNH2 antibody (AA 894-1137) (Biotin)

-online.com antibodies



| \sim | • | |
|--------|---------|--------------|
| Ove | r\ /1 | N N / |
| | 1 \/ 16 | |
| 0,0 | | ~ * * |
| | | |

| Quantity: | 100 µg |
|----------------------|---|
| Target: | KCNH2 |
| Binding Specificity: | AA 894-1137 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This KCNH2 antibody is conjugated to Biotin |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human Potassium voltage-gated channel subfamily H member 2 protein (894- 1137AA) |
|-------------------|---|
| Isotype: | lgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | KCNH2 |
|-------------------|---|
| Alternative Name: | KCNH2 (KCNH2 Products) |
| Background: | Background: Pore-forming (alpha) subunit of voltage-gated inwardly rectifying potassium |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7163994 | 01/16/2024 | Copyright antibodies-online. All rights reserved.

| | channel. Channel properties are modulated by cAMP and subunit assembly. Mediates the |
|---------------------|--|
| | rapidly activating component of the delayed rectifying potassium current in heart (IKr) |
| | (PubMed:18559421, PubMed:26363003, PubMed:27916661). |
| | Aliases: eag homolog antibody, Eag-related protein 1 antibody, ERG antibody, ERG-1 antibody, |
| | ERG1 antibody, Ether a go go related potassium channel protein antibody, Ether-a-go-go-related |
| | gene potassium channel 1 antibody, Ether-a-go-go-related protein 1 antibody, H ERG antibody, |
| | H-ERG antibody, HERG 1 antibody, HERG antibody, hERG-1 antibody, hERG1 antibody, KCNH2 |
| | antibody, KCNH2_HUMAN antibody, Kv11.1 antibody, LQT 2 antibody, LQT2 antibody, |
| | Potassium channel HERG antibody, Potassium voltage gated channel subfamily H (eag related) |
| | member 2 antibody, Potassium voltage-gated channel subfamily H member 2 antibody, SQT1 |
| | antibody, Voltage gated potassium channel, subfamily H, member 2 antibody, Voltage-gated |
| | potassium channel subunit Kv11.1 antibody |
| UniProt: | Q12809 |
| Application Details | |
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |