antibodies .- online.com





anti-RBM22 antibody (AA 2-250) (FITC)



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μg
Target:	RBM22
Binding Specificity:	AA 2-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM22 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Pre-mRNA-splicing factor RBM22 protein (2-250AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	RBM22	
Alternative Name:	RBM22 (RBM22 Products)	
Background:	Background: Involved in the first step of pre-mRNA splicing. Binds directly to the internal stem-	
	loop (ISL) domain of the U6 snRNA and to the pre-mRNA intron near the 5\' splice site during	

the activation and catalytic phases of the spliceosome cycle. Involved in both translocations of the nuclear SLU7 to the cytoplasm and the cytosolic calcium-binding protein PDCD6 to the nucleus upon cellular stress responses.

Aliases: Cwc2 antibody, FLJ10290 antibody, fSAP47 antibody, Functional spliceosome associated protein 47 antibody, Pre mRNA splicing factor RBM22 antibody, Pre-mRNA-splicing factor RBM22 antibody, RBM 22 antibody, rbm22 antibody, RBM22_HUMAN antibody, RNA binding motif protein 22 antibody, RNA-binding motif protein 22 antibody, ZC3H16 antibody, Zinc finger CCCH domain containing protein 16 antibody

UniProt: Q9NW64

Pathways: Protein targeting to Nucleus

Application Details

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	