# antibodies .- online.com





## anti-CBFA2T3 antibody (AA 39-159) (Biotin)



Go to Product page

$\sim$	
( )\/△	$r_{1}/1 \triangle_{1} \lambda_{1}$
$\cup$ $\vee$ $\subset$	rview

Quantity:	100 μg
Target:	CBFA2T3
Binding Specificity:	AA 39-159
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CBFA2T3 antibody is conjugated to Biotin
Application:	ELISA

## **Product Details**

Immunogen:	Recombinant Human Protein CBFA2T3 protein (39-159AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	CBFA2T3
Alternative Name:	CBFA2T3 (CBFA2T3 Products)
Background:	Background: Transcriptional corepressor which facilitates transcriptional repression via its
	association with DNA-binding transcription factors and recruitment of other corepressors and

histone-modifying enzymes (PubMed:12559562, PubMed:15203199). Can repress the expression of MMP7 in a ZBTB33-dependent manner (PubMed:23251453). Reduces the protein levels and stability of the transcriptinal regulator HIF1A, interacts with EGLN1 and promotes the HIF1A prolyl hydroxylation-dependent ubiquitination and proteasomal degradation pathway (PubMed:25974097). Contributes to inhibition of glycolysis and stimulation of mitochondrial respiration by down-regulating the expression of glycolytic genes including PFKFB3, PFKFB4, PDK1, PFKP, LDHA and HK1 which are direct targets of HIF1A (PubMed:23840896, PubMed:25974097). Regulates the proliferation and the differentiation of erythroid progenitors by repressing the expression of TAL1 target genes (By similarity). Plays a role in granulocyte differentiation (PubMed:15231665).

Aliases: Cbfa2t3 antibody, Ccore binding factor runt domain alpha subunit 2 translocated to 3 antibody, ETO2 antibody, hMTG16 antibody, hMTG16a antibody, hMTG16b antibody, MTG16 antibody, MTG16\_HUMAN antibody, MTG8 related gene 2 antibody, MTG8 related protein MTG16a antibody, MTG8 related protein MTG16b antibody, MTG8-related protein 2 antibody, MTGR2 antibody, Myeloid translocation gene 8 and 16b antibody, Myeloid translocation gene on chromosome 16 protein antibody, Protein CBFA2T3 antibody, Zinc finger MYND domain-containing protein 4 antibody, ZMYND4 antibody

UniProt:

075081

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
- · · ·	<u> </u>
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.