



[Go to Product page](#)

Datasheet for ABIN7165841
anti-WDYHV1 antibody (N-Term)

1 Image

Overview

Quantity:	100 µg
Target:	WDYHV1
Binding Specificity:	AA 1-205, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDYHV1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

Product Details

Immunogen:	Recombinant Human Protein N-terminal glutamine amidohydrolase protein (1-205AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	>95%, Protein G purified

Target Details

Target:	WDYHV1
Alternative Name:	WDYHV1 (WDYHV1 Products)
Background:	Background: Mediates the side-chain deamidation of N-terminal glutamine residues to glutamate, an important step in N-end rule pathway of protein degradation. Conversion of the

Target Details

resulting N-terminal glutamine to glutamate renders the protein susceptible to arginylation, polyubiquitination and degradation as specified by the N-end rule. Does not act on substrates with internal or C-terminal glutamine and does not act on non-glutamine residues in any position. Does not deaminate acetylated N-terminal glutamine. With the exception of proline, all tested second-position residues on substrate peptides do not greatly influence the activity. In contrast, a proline at position 2, virtually abolishes deamidation of N-terminal glutamine (By similarity).

Aliases: WDYHV1 antibody, C8orf32 antibody, NTAQ1 antibody, Protein N-terminal glutamine amidohydrolase antibody, EC 3.5.1.122 antibody, Protein NH2-terminal glutamine deamidase antibody, N-terminal Gln amidase antibody, Nt(Q)-amidase antibody, WDYHV motif-containing protein 1 antibody

UniProt: [Q96HA8](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-2000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot All lanes: WDYHV1 antibody at 6 μ g/mL Lane 1: Mouse heart tissue Lane 2: MCF-7 whole cell lysate Lane 3: U251 whole cell lysate Secondary Goat polyclonal to Rabbit IgG at 1/10000 dilution Predicted band size: 24, 17 kDa Observed band size: 24 kDa