antibodies.com

# Datasheet for ABIN7166320 anti-WNT9B antibody (AA 213-324)

Image



Overview

Quantity:	100 µg
Target:	WNT9B
Binding Specificity:	AA 213-324
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WNT9B antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

### Product Details

Immunogen:	Recombinant Human Protein Wnt-9b protein (213-324AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified


## Target Details

Target:	WNT9B
Alternative Name:	WNT9B (WNT9B Products)
Background:	Background: Ligand for members of the frizzled family of seven transmembrane receptors.
	Probable developmental protein. May be a signaling molecule which affects the development of

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7166320 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
	discrete regions of tissues. Is likely to signal over only few cell diameters (By similarity).
	Aliases: WNT9B antibody, WNT14B antibody, WNT15 antibody, UNQ6973/PRO21956 antibody,
	Protein Wnt-9b antibody, Protein Wnt-14b antibody, Protein Wnt-15 antibody
UniProt:	014905
Pathways:	WNT Signaling, Tube Formation
Application Details	
Application Notes:	Recommended dilution: IHC:1:200-1:500,
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

### Images



#### Immunohistochemistry

**Image 1.** IHC image of ABIN7166320 diluted at 1:200 and staining in paraffin-embedded human kidney tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN7166320 | 09/10/2023 | Copyright antibodies-online. All rights reserved.