# antibodies -online.com





## anti-MEFV antibody (AA 268-374) (FITC)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μg
Target:	MEFV
Binding Specificity:	AA 268-374
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MEFV antibody is conjugated to FITC
Application:	Please inquire

## **Product Details**

Immunogen:	Recombinant Human Pyrin protein (268-374AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	MEFV	
Alternative Name:	MEFV (MEFV Products)	
Background:	Background: Involved in the regulation of innate immunity and the inflammatory response in response to IFNG/IFN-gamma. Organizes autophagic machinery by serving as a platform for	

the assembly of ULK1, Beclin 1/BECN1, ATG16L1, and ATG8 family members and recognizes specific autophagy targets, thus coordinating target recognition with assembly of the autophagic apparatus and initiation of autophagy. Acts as an autophagy receptor for the degradation of several inflammasome components, including CASP1, NLRP1 and NLRP3, hence preventing excessive IL1B- and IL18-mediated inflammation (PubMed:16785446, PubMed:17431422, PubMed:26347139). However, it may also have a positive effect in the inflammatory pathway. In different experimental systems, it has been shown to activate IL1B production (PubMed:16037825). It has also been shown to be required for PSTPIP1-induced PYCARD oligomerization and for formation of inflammasomes. Recruits PSTPIP1 to inflammasomes, and is required for PSTPIP1 oligomerization (PubMed:10807793, PubMed:11468188, PubMed:17964261, PubMed:18577712, PubMed:19109554, PubMed:19584923).

Aliases: FMF antibody, Marenostrin antibody, Mediterranean fever antibody, Mediterranean fever protein antibody, MEF antibody, Mefv antibody, MEFV\_HUMAN antibody, Pyrin antibody, TRIM20 antibody

UniProt:

015553

Pathways:

Positive Regulation of Endopeptidase Activity

#### **Application Details**

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	