antibodies .- online.com





anti-PKM antibody (AA 185-461) (HRP)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μg
Target:	PKM
Binding Specificity:	AA 185-461
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PKM antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Pyruvate kinase PKM protein (185-461AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	PKM	
Alternative Name:	PKM (PKM Products)	
Background:	Background: Glycolytic enzyme that catalyzes the transfer of a phosphoryl group from	
	phosphoenolpyruvate (PEP) to ADP, generating ATP. Stimulates POU5F1-mediated	

transcriptional activation. Plays a general role in caspase independent cell death of tumor cells. The ratio between the highly active tetrameric form and nearly inactive dimeric form determines whether glucose carbons are channeled to biosynthetic processes or used for glycolytic ATP production. The transition between the 2 forms contributes to the control of glycolysis and is important for tumor cell proliferation and survival.

Aliases: CTHBP antibody. Cytosolic thyroid hormone-binding protein antibody. KPYM, HUMAN.

Aliases: CTHBP antibody, Cytosolic thyroid hormone-binding protein antibody, KPYM_HUMAN antibody, OIP-3 antibody, Opa-interacting protein 3 antibody, p58 antibody, pkm antibody, PKM1 antibody, PKM2 antibody, Pyruvate kinase 2/3 antibody, Pyruvate kinase muscle isozyme antibody, Pyruvate kinase PKM antibody, THBP1 antibody, Thyroid hormone-binding protein 1 antibody, Tumor M2-PK antibody

UniProt: P14618

Pathways: Warburg Effect

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

For Research Use only

Handling

Restrictions:

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	