



[Go to Product page](#)

Datasheet for ABIN7167202  
**anti-RAC2 antibody (AA 1-189) (FITC)**

### Overview

Quantity:	100 µg
Target:	RAC2
Binding Specificity:	AA 1-189
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RAC2 antibody is conjugated to FITC
Application:	Please inquire

### Product Details

Immunogen:	Recombinant Human Ras-related C3 botulinum toxin substrate 2 protein (1-189AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	RAC2
Alternative Name:	RAC2 ( <a href="#">RAC2 Products</a> )
Background:	Background: Plasma membrane-associated small GTPase which cycles between an active GTP-bound and inactive GDP-bound state. In active state binds to a variety of effector proteins

## Target Details

---

to regulate cellular responses, such as secretory processes, phagocytose of apoptotic cells and epithelial cell polarization. Augments the production of reactive oxygen species (ROS) by NADPH oxidase.

Aliases: EN 7 antibody, EN-7 antibody, EN7 antibody, GX antibody, HSPC 022 antibody, HSPC022 antibody, p21 Rac 2 antibody, p21 Rac2 antibody, p21-Rac2 antibody, p21Rac2 antibody, RAC 2 antibody, Rac2 antibody, RAC2\_HUMAN antibody, Ras related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2 antibody, Ras related C3 botulinum toxin substrate 2 antibody, Ras related C3 botulinum toxin substrate 3 (rho family, small GTP binding protein Rac2) antibody, Ras related C3 botulinum toxin substrate 3 antibody, Ras-related C3 botulinum toxin substrate 2 antibody, Rho family small GTP binding protein Rac 2 antibody, Rho family small GTP binding protein Rac2 antibody, Small G protein antibody

---

UniProt: [P15153](#)

---

Pathways: [RTK Signaling](#), [VEGF Signaling](#)

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.