antibodies .-online.com

Datasheet for ABIN7167206 anti-RRAGA antibody (AA 1-247) (Biotin)



Overview

Quantity:	100 µg
Target:	RRAGA
Binding Specificity:	AA 1-247
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RRAGA antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Ras-related GTP-binding protein A protein (1-247AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RRAGA
Alternative Name:	RRAGA (RRAGA Products)
Background:	Background: Guanine nucleotide-binding protein that plays a crucial role in the cellular response
	to amino acid availability through regulation of the mTORC1 signaling cascade. Forms

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7167206 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

heterodimeric Rag complexes with RRAGC or RRAGD and cycles between an inactive GDP- bound and an active GTP-bound form. In its active form participates in the relocalization of mTORC1 to the lysosomes and its subsequent activation by the GTPase RHEB. Involved in the RCC1/Ran-GTPase pathway. May play a direct role in a TNF-alpha signaling pathway leading to induction of cell death. May alternatively act as a cellular target for adenovirus E3-14.7K, an
mTORC1 to the lysosomes and its subsequent activation by the GTPase RHEB. Involved in the RCC1/Ran-GTPase pathway. May play a direct role in a TNF-alpha signaling pathway leading to
RCC1/Ran-GTPase pathway. May play a direct role in a TNF-alpha signaling pathway leading to
induction of cell death. May alternatively act as a cellular target for adenovirus E3-14.7K, an
inhibitor of TNF-alpha functions, thereby affecting cell death.
Aliases: Adenovirus E3 14.7 kDa-interacting protein 1 antibody, FIP-1 antibody, Rag A antibody,
RagA antibody, Ras-related GTP-binding protein A antibody, RRAGA antibody, RRAGA_HUMAN
antibody
Q7L523
Optimal working dilution should be determined by the investigator.
For Research Use only
Liquid
Liquid Preservative: 0.03 % Proclin 300
Preservative: 0.03 % Proclin 300
Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4 ProClin
Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4 ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be