antibodies -online.com





anti-RAB26 antibody (AA 1-58) (FITC)



Go to Product page

| () | 1 / | 0 | rv | / 1 / | 71 | Α. |
|--------|-----|--------|------|-------|----|------|
| | 1// | - | 1 \/ | 16 | | 1/1/ |
| \sim | v | \sim | 1 V | ١, | _ | v v |

| Quantity: | 100 μg |
|----------------------|---|
| Target: | RAB26 |
| Binding Specificity: | AA 1-58 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RAB26 antibody is conjugated to FITC |
| Application: | Please inquire |

Product Details

| Immunogen: | Recombinant Human Ras-related protein Rab-26 protein (1-58AA) | |
|-------------------|---|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | >95%, Protein G purified | |

Target Details

| Target: | RAB26 | |
|-------------------|---|--|
| Alternative Name: | RAB26 (RAB26 Products) | |
| Background: | Background: The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between | |

Target Details

an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. Mediates transport of ADRA2A and ADRA2B from the Golgi to the cell membrane. Plays a role in the maturation of zymogenic granules and in pepsinogen secretion in the stomach. Plays a role in the secretion of amylase from acinar granules in the parotid gland.

Aliases: CATX-8 antibody, RAB11c antibody, Rab26 antibody, RAB26 member RAS oncogene family antibody, RAB26_HUMAN antibody, Ras related oncogene protein antibody, Ras related protein Rab 26 antibody, Ras-associated protein Rab26 antibody, Ras-related protein Rab-26 antibody, V46133 antibody

UniProt:

Q9ULW5

Application Details

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |