

Datasheet for ABIN7167396 anti-RAP1A antibody (AA 1-181) (Biotin)



Overview Quantity: 100 µg RAP1A Target: Binding Specificity: AA 1-181 Reactivity: Human Rabbit Host: Clonality: Polyclonal Conjugate: This RAP1A antibody is conjugated to Biotin Application: ELISA

Product Details

Immunogen:	Recombinant Human Ras-related protein Rap-1A protein (1-181AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RAP1A
Alternative Name:	RAP1A (RAP1A Products)
Background:	Background: Induces morphological reversion of a cell line transformed by a Ras oncogene.
	Counteracts the mitogenic function of Ras, at least partly because it can interact with Ras GAPs

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7167396 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	and RAF in a competitive manner. Together with ITGB1BP1, regulates KRIT1 localization to
	microtubules and membranes. Plays a role in nerve growth factor (NGF)-induced neurite
	outgrowth. Plays a role in the regulation of embryonic blood vessel formation. Involved in the
	establishment of basal endothelial barrier function. May be involved in the regulation of the
	vascular endothelial growth factor receptor KDR expression at endothelial cell-cell junctions.
	Aliases: C21KG antibody, G 22K antibody, G-22K antibody, GTP binding protein smg p21A
	antibody, GTP-binding protein smg p21A antibody, KREV 1 antibody, KREV1 antibody,
	OTTHUMP00000013741 antibody, RAP 1A antibody, RAP1 antibody, RAP1A antibody, RAP1A
	member of RAS oncogene family antibody, RAP1A_HUMAN antibody, Ras related protein Krev 1
	antibody, Ras related protein Rap 1A antibody, RAS related protein RAP1A antibody, Ras-related
	protein Krev-1 antibody, Ras-related protein Rap-1A antibody, SMGP21 antibody
UniProt:	P62834
Pathways:	TCR Signaling, Neurotrophin Signaling Pathway, Signaling of Hepatocyte Growth Factor
	Receptor

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.