

[Go to Product page](#)

Datasheet for ABIN7167646

anti-UPF3B antibody (AA 319-423) (FITC)

Overview

Quantity:	100 µg
Target:	UPF3B
Binding Specificity:	AA 319-423
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UPF3B antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Regulator of nonsense transcripts 3B protein (319-423AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	UPF3B
Alternative Name:	UPF3B (UPF3B Products)
Background:	Background: Involved in nonsense-mediated decay (NMD) of mRNAs containing premature stop codons by associating with the nuclear exon junction complex (EJC) and serving as link

Target Details

between the EJC core and NMD machinery. Recruits UPF2 at the cytoplasmic side of the nuclear envelope and the subsequent formation of an UPF1-UPF2-UPF3 surveillance complex (including UPF1 bound to release factors at the stalled ribosome) is believed to activate NMD. In cooperation with UPF2 stimulates both ATPase and RNA helicase activities of UPF1. Binds spliced mRNA upstream of exon-exon junctions. In vitro, stimulates translation, the function is independent of association with UPF2 and components of the EJC core.

Aliases: UPF3B antibody, RENT3B antibody, UPF3X antibody, Regulator of nonsense transcripts 3B antibody, Nonsense mRNA reducing factor 3B antibody, Up-frameshift suppressor 3 homolog B antibody, hUpf3B antibody, Up-frameshift suppressor 3 homolog on chromosome X antibody, hUpf3p-X antibody

UniProt: [Q9BZ17](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.