# antibodies - online.com











_					
U	V	er	V	Ie	W

Quantity:	100 μg
Target:	Resistin (RETN)
Binding Specificity:	AA 19-108
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Resistin antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Immunogen:	Recombinant Human Resistin protein (19-108AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	Resistin (RETN)
Alternative Name:	RETN (RETN Products)
Background:	Background: Hormone that seems to suppress insulin ability to stimulate glucose uptake into adipose cells. Potentially links obesity to diabetes.

Aliases: Adipose tissue specific secretory factor antibody, Adipose tissue-specific secretory factor antibody, ADSF antibody, C/EBP epsilon regulated myeloid specific secreted cysteine rich protein antibody, C/EBP epsilon regulated myeloid specific secreted cysteine rich protein precursor 1 antibody, C/EBP-epsilon-regulated myeloid-specific secreted cysteine-rich protein antibody, CG5403 antibody, Cysteine rich secreted protein A12 alpha like 2 antibody, Cysteine rich secreted protein FIZZ3 antibody, Cysteine-rich secreted protein A12-alpha-like 2 antibody, Cysteine-rich secreted protein FIZZ3 antibody, dri antibody, FIZZ 3 antibody, FIZZ3 antibody, Found in inflammatory zone 3 antibody, HXCP 1 antibody, HXCP1 antibody, MGC126603 antibody, MGC126609 antibody, PRO1199 antibody, Resistin antibody, Resistin delta2 antibody, RETN 1 antibody, RETN antibody, RETN antibody, RETN antibody, RETN antibody, XCP1 antibody, XCP1 antibody

UniProt:

09HD89

Pathways:

Feeding Behaviour, Smooth Muscle Cell Migration

#### **Application Details**

Application Notes:


Recommended dilution: IHC:1:20-1:200,

Restrictions:

For Research Use only


### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### **Immunohistochemistry**

**Image 1.** Immunohistochemistry of paraffin-embedded human skin tissue using ABIN7167717 at dilution of 1:100



#### **Immunohistochemistry**

**Image 2.** Immunohistochemistry of paraffin-embedded human spleen tissue using ABIN7167717 at dilution of 1:100