antibodies .- online.com





anti-p130 antibody (AA 417-616) (FITC)



Go to Product page

()	11/0	K\ /	iew
	\cup	ועוי	$I \cap VV$

Quantity:	100 μL
Target:	p130 (RBL2)
Binding Specificity:	AA 417-616
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This p130 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human Retinoblastoma-like protein 2 protein (417-616AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	p130 (RBL2)	
Alternative Name:	RBL2 (RBL2 Products)	
Background:	Background: Key regulator of entry into cell division. Directly involved in heterochromatin	
	formation by maintaining overall chromatin structure and, in particular, that of constitutive	

heterochromatin by stabilizing histone methylation. Recruits and targets histone methyltransferases KMT5B and KMT5C, leading to epigenetic transcriptional repression. Controls histone H4 \'Lys-20\' trimethylation. Probably acts as a transcription repressor by recruiting chromatin-modifying enzymes to promoters. Potent inhibitor of E2F-mediated transactivation, associates preferentially with E2F5. Binds to cyclins A and E. Binds to and may be involved in the transforming capacity of the adenovirus E1A protein. May act as a tumor suppressor.

Aliases: 130 kDa retinoblastoma associated protein antibody, 130 kDa retinoblastoma-associated protein antibody, IB4 antibody, p130 antibody, PPAR-alpha-interacting complex protein 128 antibody, PRB2 antibody, Rb2 antibody, Rbl2 antibody, RBL2_HUMAN antibody, RBR 2 antibody, RBR-2 antibody, RBR2 antibody, Retinoblastoma like 2 antibody, Retinoblastoma-like protein 2 antibody, Retinoblastoma-related protein 2 antibody, RIC128 antibody

UniProt:

Q08999

Pathways:

Cell Division Cycle, Mitotic G1-G1/S Phases

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	