antibodies - online.com







anti-MEST antibody (AA 1-325)





\sim	
()\/\Di	view
	VICVV

Quantity:	100 μg
Target:	MEST
Binding Specificity:	AA 1-325
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MEST antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Retrotransposon-derived protein PEG10 protein (1-325AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	MEST
Alternative Name:	PEG1 (MEST Products)
Background:	Background: Prevents apoptosis in hepatocellular carcinoma (HCC) cells through interaction
	with SIAH1, a mediator of apoptosis. May also have a role in cell growth promotion and

hepatoma formation. Inhibits the TGF-beta signaling by interacting with the TGF-beta receptor ALK1. When overexpressed, induces the formation of cellular extension, such as filipodia in association with ALK1. Involved at the immediate early stage of adipocyte differentiation By similarity. May bind to the 5\\\'-GCCTGTCTTT-3\\\' DNA sequence of the MB1 domain in the myelin basic protein (MBP) promoter

Aliases: AA407948 antibody, Edr antibody, Embryonal carcinoma differentiation regulated antibody, Embryonal carcinoma differentiation-regulated protein antibody, HB 1 antibody, HB1 antibody, KIAA1051 antibody, Mammalian retrotransposon-derived protein 2 antibody, Mar2 antibody, Mart2 antibody, MEF3 like 1 antibody, MEF3-like protein 1 antibody, MEF3L antibody, MEF3L antibody, MEF3L1 antibody, MyEF 3 antibody, Myelin expression factor 3-like protein 1 antibody, Paternally expressed 10 antibody, Paternally expressed gene 10 ORF1 antibody, Paternally expressed gene 10 protein antibody, Peg10 antibody, PEG10 protein antibody, PEG10_HUMAN antibody, Putative uncharacterized protein PEG10 antibody, Retrotransposon gag domain containing 3 antibody, Retrotransposon gag domain-containing protein 3 antibody, Retrotransposon-derived gag-like polyprotein antibody, Retrotransposon-derived protein PEG10 antibody, RegAG3 antibody, Ty3/Gypsy-like protein antibody

UniProt:


Q86TG7

Application Details

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7167887 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human adrenal gland tissue using ABIN7167887 at dilution of 1:100