antibodies .- online.com







anti-RECK antibody (AA 23-212) (Biotin)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

0.0		
Quantity:	100 μg	
Target:	RECK	
Binding Specificity:	AA 23-212	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RECK antibody is conjugated to Biotin	
Application:	ELISA	
Product Details		
lmmunogen:	Recombinant Human Reversion-inducing cysteine-rich protein with Kazal motifs protein (23-212AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	
Target Details		
Target:	RECK	
Alternative Name:	RECK (RECK Products)	
Background:	Background: Negatively regulates matrix metalloproteinase-9 (MMP-9) by suppressing MMP-9	

Target Details

secretion and by direct inhibition of its enzymatic activity. RECK down-regulation by oncogenic signals may facilitate tumor invasion and metastasis. Appears to also regulate MMP-2 and MT1-MMP, which are involved in cancer progression.

Aliases: hRECK antibody, Membrane anchored glycoprotein (metastasis and invasion) antibody, RECK antibody, RECK protein antibody, RECK_HUMAN antibody, Reversion inducing cysteine rich protein with Kazal motifs antibody, Reversion-inducing cysteine-rich protein with Kazal motifs antibody, ST15 antibody, Suppression of tumorigenicity 15 (reversion inducing cysteine rich protein with kazal motifs) antibody, Suppressor of tumorigenicity 15 antibody, Suppressor of tumorigenicity 15 protein antibody

UniProt:

095980

Application Details

Storage Comment:

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300	
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	-20 °C,-80 °C	

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.