ANTIBODIES ONLINE

Datasheet for ABIN7168171

anti-RIOX2 antibody (AA 1-300) (HRP)

Go to Product page

Overview

Quantity:	100 µg
Target:	RIOX2
Binding Specificity:	AA 1-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIOX2 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Ribosomal oxygenase 2 protein (1-300AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RIOX2
Alternative Name:	RIOX2 (RIOX2 Products)
Background:	Background: Oxygenase that can act as both a histone lysine demethylase and a ribosomal histidine hydroxylase. Is involved in the demethylation of trimethylated \\\'Lys-9\\\' on histone

Copyright antibodies-online. All rights reserved.

Target Details

	H3 (H3K9me3), leading to an increase in ribosomal RNA expression. Also catalyzes the hydroxylation of 60S ribosomal protein L27a on \\\'His-39\\\'. May play an important role in cell growth and survival. May be involved in ribosome biogenesis, most likely during the assembly process of pre-ribosomal particles. Aliases: 60S ribosomal protein L27a histidine hydroxylase antibody, Bifunctional lysine specific demethylase and histidyl hydroxylase MINA antibody, FLJ14393 antibody, Histone lysine demethylase MINA antibody, MDIG antibody, MINA antibody, MINA_HUMAN antibody, Mineral dust-induced gene protein antibody, Myc induced nuclear antigen 53 kDa antibody, MYC induced nuclear antigen antibody, MYC-induced nuclear antigen antibody, NO52 antibody, Nucleolar protein 52 antibody, Ribosomal oxygenase MINA antibody, ROX antibody
UniProt:	Q8IUF8

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Copyright antibodies-online. All rights reserved.