

[Go to Product page](#)

Datasheet for ABIN7168187

**anti-MSK2 antibody (AA 237-393) (HRP)**

## Overview

Quantity:	100 µg
Target:	MSK2 (RPS6KA4)
Binding Specificity:	AA 237-393
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MSK2 antibody is conjugated to HRP
Application:	ELISA

## Product Details

Immunogen:	Recombinant Human Ribosomal protein S6 kinase alpha-4 protein (237-393AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	MSK2 (RPS6KA4)
Alternative Name:	RPS6KA4 ( <a href="#">RPS6KA4 Products</a> )
Background:	Background: Serine/threonine-protein kinase that is required for the mitogen or stress-induced phosphorylation of the transcription factors CREB1 and ATF1 and for the regulation of the

## Target Details

transcription factor RELA, and that contributes to gene activation by histone phosphorylation and functions in the regulation of inflammatory genes. Phosphorylates CREB1 and ATF1 in response to mitogenic or stress stimuli such as UV-C irradiation, epidermal growth factor (EGF) and anisomycin. Plays an essential role in the control of RELA transcriptional activity in response to TNF. Phosphorylates 'Ser-10' of histone H3 in response to mitogenics, stress stimuli and EGF, which results in the transcriptional activation of several immediate early genes, including proto-oncogenes c-fos/FOS and c-jun/JUN. May also phosphorylate 'Ser-28' of histone H3. Mediates the mitogen- and stress-induced phosphorylation of high mobility group protein 1 (HMG1/HMG14). In lipopolysaccharide-stimulated primary macrophages, acts downstream of the Toll-like receptor TLR4 to limit the production of pro-inflammatory cytokines. Functions probably by inducing transcription of the MAP kinase phosphatase DUSP1 and the anti-inflammatory cytokine interleukin 10 (IL10), via CREB1 and ATF1 transcription factors.

Aliases: 90 kDa ribosomal protein S6 kinase 4 antibody, EC 2.7.11.1 antibody, KS6A4\_HUMAN antibody, Mitogen and stress activated protein kinase 2 antibody, Nuclear mitogen and stress activated protein kinase 2 antibody, Nuclear mitogen- and stress-activated protein kinase 2 antibody, Ribosomal protein kinase B antibody, Ribosomal protein S6 kinase 90kD polypeptide 4 antibody, Ribosomal protein S6 kinase 90 kDa polypeptide 4 antibody, Ribosomal protein S6 kinase alpha 4 antibody, Ribosomal protein S6 kinase alpha-4 antibody, RPS6KA4 antibody, RSKB antibody, S6K-alpha-4 antibody

UniProt: [O75676](#)

## Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Handling

---

Storage: -20 °C, -80 °C

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.