antibodies .- online.com







anti-Hepsin antibody (AA 311-417) (Cy7)



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | Hepsin (HPN) |
| Binding Specificity: | AA 311-417 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Hepsin antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Hepsin |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Cow,Sheep,Pig,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | Hepsin (HPN) |
|-------------------|-----------------------|
| Alternative Name: | Hepsin (HPN Products) |

Target Details

| Background: | Synonyms: HEPS, HEPS_HUMAN, Hepsin, HPN, Serine protease hepsin, Serine protease hepsin |
|---------------------|--|
| | catalytic chain, Serine protease hepsin non catalytic chain, TMPRSS 1, TMPRSS1, |
| | Transmembrane protease serine 1. |
| | Background: This gene encodes a type II transmembrane serine protease. The encoded protein |
| | has an extracellular region that consists of two domains, a catalytic serine protease domain |
| | and a non-catalytic scavenger receptor cysteine-rich domain. This protein may be involved in |
| | diverse cellular functions including blood coagulation, maintenance of cell morphology and the |
| | growth and progression of certain cancers, particularly prostate cancer. Alternative splicing |
| | results in multiple transcript variants. |
| Gene ID: | 3249 |
| Pathways: | Regulation of Hormone Metabolic Process, Sensory Perception of Sound |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |