

Datasheet for ABIN7168681 anti-SFRP2 antibody (AA 68-186)

Image



\sim				
()	Ive	r\ /	\cap	Λ.
\cup	$\lor \lor \vdash$	I V I	\Box	٧V

Quantity:100 μgTarget:SFRP2Binding Specificity:AA 68-186Reactivity:HumanHost:RabbitClonality:Polyclonal	
Binding Specificity: AA 68-186 Reactivity: Human Host: Rabbit	
Reactivity: Human Host: Rabbit	
Host: Rabbit	
Clonality: Polyclonal	
Conjugate: This SFRP2 antibody is un-conjugated	
Application: ELISA, Immunofluorescence (IF)	
Product Details	

Immunogen:	Recombinant Human Secreted frizzled-related protein 2 protein (68-186AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	SFRP2	
Alternative Name:	SFRP2 (SFRP2 Products)	
Background:	kground: Background: Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt sign through direct interaction with Wnts. They have a role in regulating cell growth and	

differentiation in specific cell types. SFRP2 may be important for eye retinal development and
for myogenesis.

Aliases: Al851596 antibody, Frizzled related protein 2 antibody, FRP 2 antibody, FRP-2 antibody, FRP-2 antibody, MGC128911 antibody, MGC153618 antibody, MGC53344 antibody, SARP 1 antibody, SARP-1 antibody, SARP-1 antibody, SDF 5 antibody, SDF5 antibody, Secreted apoptosis related protein 1 antibody, Secreted apoptosis-related protein 1 antibody, Secreted frizzled related protein 2 antibody, SFRP 2 antibody, SFRP-2 antibody, SFRP-2 antibody, SFRP-2 antibody, SFRP-2 antibody, SFRP-2 antibody, SFRP-2 antibody

UniProt: Q96HF1

Pathways: WNT Signaling, Tube Formation, Positive Regulation of Endopeptidase Activity, Negative


Regulation of intrinsic apoptotic Signaling, Positive Regulation of fat Cell Differentiation

Application Details

Application Notes:	Recommended dilution: IF:1:50-1:200,
Restrictions:	For Research Use only

Handling

Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of Hela cells using ABIN7168681 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)