

Datasheet for ABIN7168891
anti-SERINC1 antibody (AA 331-387)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	SERINC1
Binding Specificity:	AA 331-387
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SERINC1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human Serine incorporator 1 protein (331-387AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	>95%, Protein G purified

Target Details

Target:	SERINC1
Alternative Name:	SERINC1 (SERINC1 Products)
Background:	Background: Enhances the incorporation of serine into phosphatidylserine and sphingolipids. Aliases: 1500011D18Rik antibody, AI315070 antibody, AIGP 2 antibody, KIAA1253 antibody,

Target Details

LRRGT00191 antibody, mKIAA1253 antibody, SERC1_HUMAN antibody, SERINC1 antibody, Serine incorporator 1 antibody, TDE1L antibody, TDE2 antibody, TMS 2 antibody, Tms2 antibody, Tumor differentially expressed 1 protein like antibody, Tumor differentially expressed protein 1-like antibody, Tumor differentially expressed protein 2 antibody, UNQ396/PRO732 antibody

UniProt: [Q9NRX5](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:5000, IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of HepG2 cells using ABIN7168891 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Western Blotting

Image 2. Western Blot Positive WB detected in: Mouse lung tissue All lanes: SERINC1 antibody at 3 μ g/mL Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 51 kDa Observed band size: 51 kDa