



Datasheet for ABIN7169282

## anti-PPP2R3B antibody (Regulatory Subunit B)



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	PPP2R3B
Binding Specificity:	AA 356-575, Regulatory Subunit B
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPP2R3B antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### Product Details

Immunogen:	Recombinant Human Serine/threonine-protein phosphatase 2A regulatory subunit B subunit beta protein (356-575AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

#### Target Details

Target:	PPP2R3B
Alternative Name:	PPP2R3B ( <a href="#">PPP2R3B Products</a> )
Background:	Background: The B regulatory subunit might modulate substrate selectivity and catalytic

## Target Details

---

activity, and also might direct the localization of the catalytic enzyme to a particular subcellular compartment.

Aliases: NY REN 8 antibody, NY REN 8 antigen antibody, P2R3B\_HUMAN antibody, PP2A B" subunit PR48 antibody, PP2A subunit B isoform PR48 antibody, PP2A subunit B PR48 isoform antibody, PPP2R3B antibody, PPP2R3L antibody, PPP2R3LY antibody, PR 48 antibody, PR48 antibody, Protein phosphatase 2 (formerly 2A) regulatory subunit B" beta antibody, Protein phosphatase 2 regulatory subunit B" beta antibody, Protein phosphatase 2A 48 kDa regulatory subunit antibody, Serine/threonine protein phosphatase 2A 48 kDa regulatory subunit B antibody, Serine/threonine-protein phosphatase 2A regulatory subunit B" subunit beta antibody

---

UniProt: [Q9Y5P8](#)

---

Pathways: [PI3K-Akt Signaling](#), [Mitotic G1-G1/S Phases](#)

## Application Details

---

Application Notes: Recommended dilution: IHC:1:20-1:200,

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

---

Preservative: Sodium azide

---


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Storage: -20 °C,-80 °C

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human adrenal gland tissue using ABIN7169282 at dilution of 1:100