

Datasheet for ABIN7169310

anti-PPP1CB antibody (Catalytic Subunit) (FITC)[Go to Product page](#)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µg |
| Target: | PPP1CB |
| Binding Specificity: | AA 175-221, Catalytic Subunit |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PPP1CB antibody is conjugated to FITC |
| Application: | Please inquire |

Product Details

| | |
|-------------------|---|
| Immunogen: | Recombinant Human Serine/threonine-protein phosphatase PP1-beta catalytic subunit protein (175-221AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|---|
| Target: | PPP1CB |
| Alternative Name: | PPP1CB (PPP1CB Products) |
| Background: | Background: Protein phosphatase that associates with over 200 regulatory proteins to form |

Target Details

highly specific holoenzymes which dephosphorylate hundreds of biological targets. Protein phosphatase (PP1) is essential for cell division, it participates in the regulation of glycogen metabolism, muscle contractility and protein synthesis. Involved in regulation of ionic conductances and long-term synaptic plasticity. Component of the PTW/PP1 phosphatase complex, which plays a role in the control of chromatin structure and cell cycle progression during the transition from mitosis into interphase. In balance with CSNK1D and CSNK1E, determines the circadian period length, through the regulation of the speed and rhythmicity of PER1 and PER2 phosphorylation. May dephosphorylate CSNK1D and CSNK1E.

Dephosphorylates the '\\Ser-418\\' residue of FOXP3 in regulatory T-cells (Treg) from patients with rheumatoid arthritis, thereby inactivating FOXP3 and rendering Treg cells functionally defective (PubMed:23396208).

Aliases: MGC3672 antibody, PP 1B antibody, PP-1B antibody, PP1B antibody, PP1B_HUMAN antibody, PP1beta antibody, PPP1CB antibody, PPP1CD antibody, Protein phosphatase 1 beta antibody, Protein phosphatase 1 catalytic subunit beta isoform antibody, Protein phosphatase 1 delta antibody, Protein phosphatase 1, catalytic subunit, beta isozyme antibody, Protein phosphatase 1, catalytic subunit, delta isoform antibody, Serine threonine protein phosphatase PP1 beta catalytic subunit antibody, Serine/threonine-protein phosphatase PP1-beta catalytic subunit antibody

| | |
|-----------|---|
| UniProt: | P62140 |
| Pathways: | M Phase , Cellular Glucan Metabolic Process , Regulation of Carbohydrate Metabolic Process , Lipid Metabolism |

Application Details

| | |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

Handling

| | |
|--------------------|---|
| Format: | Liquid |
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |

Handling

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.