antibodies .- online.com





Datasheet for ABIN716970

anti-Acid Phosphatase antibody (AA 71-158) (Cy5)



_							
0	V	е	r١	/	е	٧	V

Quantity:	100 μL	
Target:	Acid Phosphatase (ACP)	
Binding Specificity:	AA 71-158	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Acid Phosphatase antibody is conjugated to Cy5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Acid Phosphatase	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	Acid Phosphatase (ACP)
Alternative Name:	Acid Phosphatase (ACP Products)

Target Details

Background:	Synonyms: Acid phosphatase 1 soluble, Acid phosphatase of erythrocyte, Adipocyte acid			
	phosphatase, Cytoplasmic phosphotyrosyl protein phosphatase, HAAP, Low molecular weight			
	phosphotyrosine protein phosphatase, PAP1, PAP2, Protein tyrosine phosphatase, PTPase,			
	Purple acid phosphatase, Red cell acid phosphatase 1, PPAC_HUMAN.			
	Background: Phosphatase enzymes catalyse hydrolysis of phosphoric acid esters of various			
	alcohols, e.g. a hexose phosphate, to yield the alcohol and free inorganic phosphate. This may			
	be a way of recycling phosphate in the cell, and the level of phosphate may be elevated under			
	conditions of phosphate starvation (in algae for example). Acid phosphatases have pH optima			
	below 7, whereas alkaline phosphatases are most active above pH 7. Commercial quantities of			
	acid phosphatase are obtained from plant sources e.g. potato and wheat germ, whereas similar			
	quantities of alkaline phosphatase are obtained from animal intestine and bacteria.			
Gene ID:	5068			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			
Expiry Date:	12 months			