# antibodies -online.com







# anti-SKOR1 antibody (AA 744-965)



# Image



| 0 | 1 / | -        | K   | /1  | -        | 1 A |
|---|-----|----------|-----|-----|----------|-----|
| u | \/  | $\vdash$ | I \ | / I | $\vdash$ | 1/1 |
|   |     |          |     |     |          |     |

| Quantity:            | 100 μL                            |
|----------------------|-----------------------------------|
| Target:              | SKOR1                             |
| Binding Specificity: | AA 744-965                        |
| Reactivity:          | Human                             |
| Host:                | Rabbit                            |
| Clonality:           | Polyclonal                        |
| Application:         | ELISA, Immunohistochemistry (IHC) |

#### **Product Details**

| Immunogen:        | Recombinant Human SKI family transcriptional corepressor 1 protein (744-965AA) |
|-------------------|--|
| Isotype:          | IgG  |
| Cross-Reactivity: | Human  |
| Purification:     | >95%, Protein G purified   |

# **Target Details**

| Target:           | SKOR1  |
|-------------------|--|
| Alternative Name: | SKOR1 (SKOR1 Products)   |
| Background:       | Background: Acts as a transcriptional corepressor of LBX1 (By similarity). Inhibits BMP signaling.   |
|                   | Aliases: SKOR1 antibody, CORL1 antibody, FUSSEL15 antibody, LBXCOR1 antibody, SKI family transcriptional corepressor 1 antibody, Functional Smad-suppressing element on chromosome |

#### **Target Details**

|          | 15 antibody, Fussel-15 antibody, LBX1 corepressor 1 antibody, Ladybird homeobox corepressor |
|----------|---|
|          | 1 antibody  |
| UniProt: | P84550  |


### **Application Details**

| Application Notes: | Recommended dilution: IHC:1:200-1:500, |
|--------------------|--|
| Restrictions:      | For Research Use only                  |

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Buffer:            | Preservative: 0.03 % Proclin 300   |
|                    | Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4                                     |
|                    | σοποιιταστικό, σο το σήσει ση στο τιπτ. Σο, ρ. τ. τ.                               |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
|                    | handled by trained staff only.   |
|                    |  |
| Storage:           | -20 °C,-80 °C  |
| Storage Comment:   | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                      |

#### Images



#### **Immunohistochemistry**

**Image 1.** IHC image of ABIN7169769 diluted at 1:400 and staining in paraffin-embedded human brain tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.