antibodies - online.com







anti-SKIL antibody (AA 359-579)





()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μg	
Target:	SKIL	
Binding Specificity:	AA 359-579	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SKIL antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)	

Product Details

Immunogen:	Recombinant Human Ski-like protein (359-579AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	>95%, Protein G purified

Target Details

Target:	SKIL
Alternative Name:	SKIL (SKIL Products)
Background:	Background: May have regulatory role in cell division or differentiation in response to extracellular signals.

Target Details

Aliases: OTTHUMP00000213557 antibody, OTTHUMP00000213591 antibody, OTTHUMP00000213592 antibody, SKI like antibody, SKI like antibody, SKI like oncogene antibody, Ski like protein antibody, SKI like proto oncogene antibody, Ski related oncogene snoN antibody, Ski related protein antibody, Ski-like protein antibody, Ski-related oncogene antibody, Ski-related protein antibody, SKIL antibody, SKIL_HUMAN antibody, SNO antibody, SnoA antibody, SnoI antibody, SnoN antibody

UniProt:

P12757

Pathways:


Positive Regulation of Response to DNA Damage Stimulus

Application Details

Application Notes:	Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200, IF:1:50-1:200,
Restrictions:	For Research Use only


Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human placenta tissue using ABIN7169773 at dilution of 1:100



Western Blotting

Image 2. Western Blot Positive WB detected in: HepG2 whole cell lysate, A549 whole cell lysate, Hela whole cell lysate, Mouse skeletal muscle tissue, Mouse liver tissue, Rat heart tissue, Rat liver tissue, Rat thymus tissue All lanes: SKIL antibody at 1.6 μg/mL Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 77, 47, 72, 45, 75 kDa Observed band size: 77 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human lung tissue using ABIN7169773 at dilution of 1:100

Please check the product details page for more images. Overall 4 images are available for ABIN7169773.